

# DMSB-Zulassungsliste Reifen Nürburgring Nordschleife

Stand: 18.03.2021

Ausschließlich nachfolgende Reifen sind für alle Fahrzeugklassen zur Verwendung im Rahmen der VLN und dem 24h-Rennen inkl. 24h-Quali-Rennen auf der Nürburgring Nordschleife gem. DMSB Rundstreckenreglement Anhang 2 Art. 2 a) Abs. 6. erlaubt. Ausgenommen sind die Fahrzeugklassen SPX, SP Pro, GT3-Fahrzeuge der Homologationsjahre ab 2010 sowie Fahrzeuge der SP10 (SRO-GT4). Für die Fahrzeuge der SP10 (SRO-GT4) sind die zulässigen Reifen einer separaten Liste zu entnehmen.

Über nachstehende Zulassungsliste hinaus sind straßenzugelassene Reifen mit ECE-Zulassung, welche eine "E"-Kennzeichnung aufweisen zugelassen.

<b>Hersteller:</b>	AVON-Cooper Tyres Ltd.	
	Bath Road, Melksham - SN128AA Wiltshire	
<b>Ansprechpartner:</b>	Robert Sulzbacher, CREW KNÜTTEL MOTORSPORT	
<b>Tel.Nr.:</b>	+49 17630532839	
<b>E-Mail:</b>	<a href="mailto:r.sulzbacher@reifen-knuettel.de">r.sulzbacher@reifen-knuettel.de</a>	
Hersteller	Modellbezeichnung	Dimension
AVON	A745-16642S	205/580R15
AVON	W536-15883W	205/580R15
AVON	A745-15696S	205/580R16
AVON	W534-15119W	205/580R16
AVON	A870-15389S	200/605R16
AVON	A708-15342S	200/605R16
AVON	W532-14976W	200/605R16
AVON	A708-15343S	200/605R17
AVON	W532-15010W	200/605R17
AVON	A745-15564S	230/605R17
AVON	A228-16729S	230/605R17
AVON	W532-15376W	230/605R17
AVON	A745-15487S	240/640R18
AVON	A228-16728S	240/640R18
AVON	W532-14828W	240/640R18
AVON	A745-15488S	250/640R18
AVON	A745-16648S	270/650R18
AVON	A228-16376S	270/650R18
AVON	W534-14772W	270/650R18

AVON	W536-15276S	270/650R18
AVON	A745-15490S	300/650R18
AVON	A228-15778S	300/650R18
AVON	W534-14274W	300/650R18
AVON	W536-15277W	300/650R18
AVON	A745-15335S	300/680R18
AVON	A228-15779S	300/680R18
AVON	W534-14773W	300/680R18
AVON	W536-15212W	300/680R18
AVON	A745-15408S	320/705R18
AVON	A228-15780S	320/705R18
AVON	W534-14770W	320/705R18
AVON	W536-15213W	320/705R18

<b>Hersteller:</b>	Bridgestone Corporation Global Motorsport Dept.	
	Bridgestone Corp. 1-1, Kyobashi 3-Chome, Chuo-ku, Tokyo 104-8340, Japan	
<b>Ansprechpartner:</b>	Thomas Scholz	
<b>Tel.Nr.:</b>	+49-1759314172	
<b>E-Mail:</b>	thomas.scholz@bridgestone.eu	
Hersteller	Modellbezeichnung	Dimension
Bridgestone	POTENZA (DRY)	265/35 R18
Bridgestone	POTENZA (DRY)	245/40 R18
Bridgestone	POTENZA (WET)	245/40 R18
Bridgestone	POTENZA (DRY)	215/40 R17
Bridgestone	POTENZA (WET)	215/40 R17

<b>Hersteller:</b>	Giti Tire Deutschland GmbH	
	Hollerithallee 17, 30419 Hannover	
<b>Ansprechpartner:</b>	Sebastian Bell	
<b>Tel.Nr.:</b>	0511/5153560	
<b>E-Mail:</b>	<a href="mailto:info@eu.giti.com">info@eu.giti.com</a>	
<b>Hersteller</b>	<b>Modellbezeichnung</b>	<b>Dimension</b>
Giti	GitiCompete GTR1	295/635-18
Giti	GitiCompete GTR1	290/650-18
Giti	GitiCompete GTR1(wet)	290/650-18
Giti	GitiCompete GTR1	305/650-18
Giti	GitiCompete GTR1(wet)	305/650-18
Giti	GitiCompete GTR1	300/650-18
Giti	GitiCompete GTR1	305/680-18
Giti	GitiCompete GTR1(wet)	300/650-18
Giti	GitiCompete GTR1(wet)	305/680-18
Giti	GitiCompete GTR1	300/650-18
Giti	GitiCompete GTR1(wet)	315/710-18
Giti	GitiCompete GTR1	315/710-18
Giti	GitiCompete GTR1	300/680-18
Giti	GitiCompete GTR1(wet)	300/680-18
Giti	GitiCompete GTR1(wet)	310/705-18
Giti	GitiCompete GTR1	310/705-18
Giti	GitiCompete GTR1(wet)	260/650-18
Giti	GitiCompete GTR1	260/650-18
Giti	GitiCompete GTR1(wet)	260/645-18
Giti	GitiCompete GTR1	260/645-18
Giti	GitiCompete GTR1(wet)	305/660-18
Giti	GitiCompete GTR1	305/660-18
Giti	GitiCompete GTR1(wet)	330-680-18
Giti	GitiCompete GTR1	330-680-18
Giti	GitiCompete GTR1(wet)	250/650-18
Giti	GitiCompete GTR1	250/650-18
Giti	GitiCompete GTR1(wet)	345-710-18
Giti	GitiCompete GTR1	345-710-18
Giti	GitiCompete GTR1(wet)	275/650-18
Giti	GitiCompete GTR1	275/650-18
Giti	GitiCompete GTR1(wet)	270/650-18

Giti	GitiCompete GTR1	270/650-18
Giti	GitiCompete GTR2	195/50ZR15
Giti	GitiCompete GTR2	235/40ZR17
Giti	GitiCompete GTR2	245/40ZR18
Giti	GITISPORT GTR3	245/35ZR19
Giti	GITISPORT GTR3	325/30ZR19
Giti	GitiCompete GTR2	205/55R16
Giti	GITISPORT GTR3	235/35ZR19
Giti	GITISPORT GTR3	265/35ZR19
Giti	GITISPORT GTR3	245/35ZR20
Giti	GITISPORT GTR3	265/35ZR20
Giti	GITISPORT GTR3	305/30ZR19
Giti	GITISPORT GTR3	305/30ZR20
Giti	GITISPORT GTR3	295/30ZR20
Giti	GITISPORT GTR3	245/30ZR20
Giti	GITISPORT GTR3	305/30ZR20
Giti	GitiCompete GTR3	215/45ZR17
Giti	GitiCompete GTR1(wet)	225/635-18
Giti	GitiCompete GTR1	225/635-18
Giti	GitiCompete GTR1(wet)	235/635-18
Giti	GitiCompete GTR1	235/635-18

<b>Hersteller:</b>	Goodyear Dunlop Tires Germany GmbH Dunlopstr.2, 63450 Hanau
<b>Ansprechpartner:</b>	Alexander Kühn
<b>Tel.Nr.:</b>	+49 (170) 784 08 66
<b>E-Mail:</b>	alexander.kuehn@goodyear-dunlop.com

Hersteller	Modellbezeichnung	Dimension
Dunlop	G84D CM720	185/580R15
Dunlop	G84W CM404	185/580R15
Dunlop	G84D CM720	200/580R15
Dunlop	G84W CM404	200/580R15
Dunlop	G84D CM720	205/620R17
Dunlop	G84W CM404	205/620R17
Dunlop		215/45R17
Dunlop	G84D CM720	235/610R17
Dunlop	G84D CM004	235/610R17
Dunlop	TC 01 B3	235/610R17
Dunlop	G84W BC497	235/610R17
Dunlop	C98DX CM004	235/640R18
Dunlop	C98DX CM008	235/640R18
Dunlop	C98DX CM720	235/640R18
Dunlop	B92W BC497	235/640R18
Dunlop	B92W BC497	235/640R18
Dunlop	TC 01 A2	245/650R18
Dunlop	G76D CM004	245/650R18
Dunlop	TC 01 C1	245/650R18
Dunlop	G76D CM720	245/650R18
Dunlop	B92W BC497	245/650R18
Dunlop	B92W BC497	245/650R18
Dunlop	G76D CM004	265/660R18
Dunlop	G76D CM008	265/660R18
Dunlop	G76D CM720	265/660R18
Dunlop	J27D CM863	265/660R18
Dunlop	J27D CM004	265/660R18
Dunlop	J27D CM720	265/660R18
Dunlop	B92W BC497	265/660R18
Dunlop	B92W BC497	265/660R18

Dunlop	TC 02 W2	265/660R18
Dunlop	G76D CM720	285/660R18
Dunlop	G76D CM004	285/660R18
Dunlop	G76D CM008	285/660R18
Dunlop	GT 01 B2	285/660R18
Dunlop	G76W BC497	285/660R18
Dunlop	G76W BC497	285/660R18
Dunlop	GT 01 B2	285/680R18
Dunlop	GT 01 C1	285/680R18
Dunlop	GT 01 C2	285/680R18
Dunlop	GT 01 W2	285/680R18
Dunlop	GT 01 W2	285/680R18
Dunlop	H96D CM004	305/660R18
Dunlop	GT 01 B2	305/660R18
Dunlop	J14W BC497	305/660R18
Dunlop	J14W BC497	305/660R18
Dunlop	H96D CM747	305/680R18
Dunlop	H96DTF CM116/505	305/680R18
Dunlop	H96D CM004	305/680R18
Dunlop	H96D CM008	305/680R18
Dunlop	J14W BC497	305/680R18
Dunlop	J14W BC497	305/680R18
Dunlop	GT 01 A2	305/680R18
Dunlop	GT 02 A2	305/680R18
Dunlop	GT 01 B2	305/680R18
Dunlop	GT 02 B2	305/680R18
Dunlop	GT 03 B2	305/680R18
Dunlop	GT 01 W2	305/680R18
Dunlop	GT01 I2	305/680R18
Dunlop	GT 02 A2	310/710R18
Dunlop	GT 06 A2	310/710R18
Dunlop	GT 02 B2	310/710R18
Dunlop	GT 06 B2	310/710R18
Dunlop	GT 01 C2	310/710R18
Dunlop	GT 02 C1	310/710R18

Dunlop	GT 02 C2	310/710R18
Dunlop	GT 02 W2	310/710R18
Dunlop	GT 02 W2	310/710R18
Dunlop	GT 07 B2	310/710R18
Dunlop	GT 01 I2	310/710R18
Dunlop	GT 01 A2	310/710R18
Dunlop	GT 01 W2	310/710R18
Dunlop	H85D CM008	310/710R19
Dunlop	H85W BC497	310/710R19
Dunlop	H85W BC497	310/710R19

<b>Hersteller:</b> Goodyear Dunlop Tires Germany GmbH		
Anschrift/ Ansprechpartner siehe Dunlop		
<b>Hersteller</b>	<b>Modellbezeichnung</b>	<b>Dimension</b>
Goodyear	TC 01 C3	185/580R15
Goodyear	TC 01 W4	185/580R15
Goodyear	TC 01 B3	185/580R15
Goodyear	TC 01 B3	200/580R15
Goodyear	TC 01 W4	200/580R15
Goodyear	TC 01 C3	200/580R15
Goodyear	TC 01 C3	205/620R17
Goodyear	TC 01 B3	205/620R17
Goodyear	TC 01 W4	205/620R17
Goodyear	TC 01 C3	235/610R17
Goodyear	TC 01 B3	235/610R17
Goodyear	TC 01 W3	235/610R17
Goodyear	TC 01 B3	235/640R18
Goodyear	TC 01 C3	235/640R18
Goodyear	TC 01 W3	235/640R18
Goodyear	TC 01 W3	235/640R18
Goodyear	TC 02 A3	245/650R18
Goodyear	TC 02 B3	245/650R18
Goodyear	TC 02 C2	245/650R18
Goodyear	TC 02 C3	245/650R18
Goodyear	TC 01 W3	245/650R18
Goodyear	TC 01 W3	245/650R18
Goodyear	TC 01 W2	245/650R18
Goodyear	TC 01 W2	245/650R18
Goodyear	TC 02 B3	265/660R18
Goodyear	TC 02 C2	265/660R18
Goodyear	TC 02 C3	265/660R18
Goodyear	TC 01 A2	265/660R18
Goodyear	TC 01 B3	265/660R18
Goodyear	TC 01 C3	265/660R18
Goodyear	TC 02 W3	265/660R18
Goodyear	TC 02 W2	265/660R18
Goodyear	GT 01 C3	285/660R18
Goodyear	GT 01 C1	285/660R18



Goodyear	GT 01 C2	285/660R18
Goodyear	GT 01 B2	285/660R18
Goodyear	GT 01 W3	285/660R18
Goodyear	GT 01 W3	285/660R18
Goodyear	GT 01 W2	285/660R18
Goodyear	GT 01 W2	285/660R18
Goodyear	GT 01 B2	285/680R18
Goodyear	GT 01 C1	285/680R18
Goodyear	GT 01 C2	285/680R18
Goodyear	GT 01 W2	285/680R18
Goodyear	GT 01 W2	285/680R18
Goodyear	GT 01 W3	285/680R18
Goodyear	GT 01 W3	285/680R18
Goodyear	GT 01 C1	305/660R18
Goodyear	GT 01 B2	305/660R18
Goodyear	GT 01 W3	305/660R18
Goodyear	GT 01 W3	305/660R18
Goodyear	GT 01 B2	305/680R18
Goodyear	GT 01 C1	305/680R18
Goodyear	GT 01 C2	305/680R18
Goodyear	GT 01 W3	305/680R18
Goodyear	GT 01 W3	305/680R18
Goodyear	GT 01 B2	310/710R18
Goodyear	GT 01 C1	310/710R18
Goodyear	GT 01 C2	310/710R18
Goodyear	GT 01 W3	310/710R18
Goodyear	GT 01 W3	310/710R18

**Hersteller** Falken Tyre Europe GmbH  
 Berliner Str. 74-76, 63128 Offenbach

**Ansprechpartner:** Stefanie Olbertz

**Tel.Nr.:** +49 (69) 247 52 52-61

**E-Mail:** stefanie.olbertz@falkentyre.com

Hersteller	Modellbezeichnung	Dimension
FALKEN	SLICK SOFT	220/620R17
FALKEN	SLICK HARD	220/620R17
FALKEN	FK-R01W	220/620R17
FALKEN	CR9150	240/660R18
FALKEN	CR9150 NW1	240/660R18
FALKEN	R92	260/655R18
FALKEN	R92 NW1	260/655R18
FALKEN	SLICK SOFT	260/660R18
FALKEN	SLICK MEDIUM	260/660R18
FALKEN	SLICK NS1	260/660R18
FALKEN	SLICK NM1	260/660R18
FALKEN	SLICK NH1	260/660R18
FALKEN	SLICK SOFT	270/660R18
FALKEN	SLICK HARD	270/660R18
FALKEN	SLICK SOFT	300/660R18
FALKEN	SLICK MEDIUM	300/660R18
FALKEN	SLICK HARD	300/660R18
FALKEN	CR9050H	300/660R18
FALKEN	CR9150	300/660R18
FALKEN	SLICK SOFT	310/710R18
FALKEN	SLICK MEDIUM	310/710R18
FALKEN	SLICK HARD	310/710R18
FALKEN	CR9050H	320/710R18
FALKEN	CR9150	330/710R18

<b>Hersteller</b>	FEDERAL CORPORATION No.14, Yunong Rd., Shilin District, Taipei 111, Taiwan	
<b>Ansprechpartner:</b>	Mr. Albert Ouyang	
<b>Tel.Nr.:</b>	+886-2-28312688 16123	
<b>E-Mail:</b>	<a href="mailto:aoy@federaltire.com.tw">aoy@federaltire.com.tw</a>	
Hersteller	Modellbezeichnung	Dimension
FEDERAL TIRE	FZ-101	210/575-15

<b>Hersteller</b>	C&R Motorsport OHG/ Hankook Römerstrasse 56, 53940 Hellenthal-Reifferscheid	
<b>Ansprechpartner:</b>	Herr Stoll	
<b>Tel.Nr.:</b>	02482/1251883	
<b>E-Mail:</b>	mobil@crmotorsport.de	
Hersteller	Modellbezeichnung	Dimension
HANKOOK	F200 - C32	190/570R15
HANKOOK	F200 - C52	190/570R15
HANKOOK	F200 - C72	190/570R15
HANKOOK	F200 - C32	200/580R15
HANKOOK	F200 - C52	200/580R15
HANKOOK	F200 - C72	200/580R15
HANKOOK	F200 - C32	215/580R15
HANKOOK	F200 - C52	215/580R15
HANKOOK	F200 - C72	215/580R15
HANKOOK	F200 - C32	210/610R16
HANKOOK	F200 - C52	210/610R16
HANKOOK	F200 - C72	210/610R16
HANKOOK	F200 - C32	260/610R16
HANKOOK	F200 - C52	260/610R16
HANKOOK	F200 - C72	260/610R16
HANKOOK	F200 - C32	200/610R17
HANKOOK	F200 - C52	200/610R17

HANKOOK	F200 - C72	200/610R17
HANKOOK	F200 - C32	215/615R17
HANKOOK	F200 - C52	215/615R17
HANKOOK	F200 - C32	235/620R17
HANKOOK	F200 - C52	235/620R17
HANKOOK	F200 - C72	235/620R17
HANKOOK	F200 - C32	240/610R17
HANKOOK	F200 - C52	240/610R17
HANKOOK	F200 - C72	240/610R17
HANKOOK	F200 - C32	240/640R18
HANKOOK	F200 - C52	240/640R18
HANKOOK	F200 - C72	240/640R18
HANKOOK	F200 - C32	250/640R18
HANKOOK	F200 - C52	250/640R18
HANKOOK	F200 - C72	250/640R18
HANKOOK	F200 - C52	260/660R18
HANKOOK	F200 - C32	280/650R18
HANKOOK	F200 - C52	280/650R18
HANKOOK	F200 - C72	280/650R18
HANKOOK	F200 - C32	280/680R18
HANKOOK	F200 - C52	280/680R18
HANKOOK	F200 - C32	280/710R18
HANKOOK	F200 - C52	280/710R18
HANKOOK	F200 - C72	280/710R18
HANKOOK	F200 - C52	300/660R18
HANKOOK	F200 - C72	300/660R18
HANKOOK	F200 - C32	300/680R18
HANKOOK	F200 - C52	300/680R18
HANKOOK	F200 - C32	320/710R18
HANKOOK	F200 - C52	320/710R18
HANKOOK	F200 - C32	300/680R19
HANKOOK	F200 - C52	300/680R19
HANKOOK	F200 - C72	300/680R19
HANKOOK	F200 - C52	320/710R19
HANKOOK	Z207 - W52	190/580R15
HANKOOK	Z207 - W52	210/610R16
HANKOOK	Z207 - W52	200/620R17

HANKOOK	Z207 - W52	235/620R17
HANKOOK	Z207 - W52	240/610R17
HANKOOK	Z207 - W52	250/640R18
HANKOOK	Z207 - W52	240/640R18
HANKOOK	Z207 - W52	260/660R18
HANKOOK	Z207 - W52	280/650R18
HANKOOK	Z207 - W52	280/660R18
HANKOOK	Z207 - W52	280/680R18
HANKOOK	Z207 - W52	280/710R18
HANKOOK	Z207 - W52	300/660R18
HANKOOK	Z207 - W52	300/680R18
HANKOOK	Z207 - W52	320/710R18
HANKOOK	Z207 - W52	300/680R19
HANKOOK	Z207 - W52	320/710R19

<b>Hersteller:</b>	Hoosier Racing Tire Europe / Continental Reifen Deutschland GmbH	
	Continental Reifen Deutschland GmbH, Büttnerstr. 25, 30165 Hannover	
<b>Ansprechpartner:</b>	Martin Heckers (Head of Hoosier Racing Tire Europe), Günter Schlag (Schlag Reifen GmbH)	
<b>Tel.Nr.:</b>	+49 172 2912544	
<b>E-Mail:</b>	<a href="mailto:mheckers@hoosiertire.com">mheckers@hoosiertire.com</a>	
<b>Hersteller</b>	<b>Modellbezeichnung</b>	<b>Dimension</b>
Hoosier	Slick S80/S100/S120, Wet	200/610 R 17
Hoosier	Slick S80/S100/S120, Wet	230/610 R 17
Hoosier	Slick S80/S100/S120, Wet	265/630 R 17
Hoosier	Slick S80/S100/S120, Wet	240/640 R 18
Hoosier	Slick S80/S100/S120, Wet	240/650 R 18
Hoosier	Slick S75/S80/S100, Wet	255/645 R 18
Hoosier	wet	265/645 R 18
Hoosier	S80/S100	265/650 R 18
Hoosier	S75/S80/S100, Wet	285/645 R 18
Hoosier	S80/S100, Wet	285/650 R 18
Hoosier	S80/S100, Wet	280/680 R 18
Hoosier	S75/S80/S100, Wet	305/650 R 18
Hoosier	S75/S80/S100, Wet	305/680 R 18
Hoosier	S75/S80/S100, Wet	305/685 R 18
Hoosier	S75/S80/S100, Wet	310/710 R 18
Hoosier	S75/S80/S100, Wet	325/710 R 18
Hoosier	Slick S100, Wet	210/650 R 19
Hoosier	Slick A7/R7, H2O	225/40 R 17
Hoosier	Slick A7/R7, H2O	245/40 R 17
Hoosier	Slick A7/R7, H2O	235/35 R 19
Hoosier	Slick R7, H2O	265/35 R 19
Hoosier	Slick R7, H2O	295/30 R 19
Hoosier	Slick R7, H2O	245/35 R 20
Hoosier	Slick R7, H2O	305/30 R 20
Hoosier	Slick R7, H2O	325/25 R 20

<b>Hersteller</b>	Tyre Trade Center e.K. - Kumho Motorsport Rudolf-Diesel-Str.2, 53520 Meuspath
<b>Ansprechpartner:</b>	Roland Mühlbauer /
<b>Tel.Nr.:</b>	02691-9359500
<b>E-Mail:</b>	info@kumho-motorsport.de

Hersteller	Modellbezeichnung	Dimension
KUMHO	ECSTA S700 - Slick	190/570R15
KUMHO	ECSTA S700 - Slick	200/580R15
KUMHO	ECSTA S700 - Slick	215/615R17
KUMHO	ECSTA S700 - Slick	240/610R17
KUMHO	ECSTA S700 - Slick	225/640R18
KUMHO	ECSTA S700 - Slick	245/645R18
KUMHO	ECSTA S700 - Slick	280/650R18
KUMHO	ECSTA S700 - Slick	300/650R18
KUMHO	ECSTA S700 - Slick	310/710R18
KUMHO	ECSTA W700 - Regen	190/570R15
KUMHO	ECSTA W700 - Regen	200/580R15
KUMHO	ECSTA W700 - Regen	215/615R17
KUMHO	ECSTA W700 - Regen	240/610R17
KUMHO	ECSTA W700 - Regen	225/635R18
KUMHO	ECSTA W700 - Regen	270/650R18
KUMHO	ECSTA W700 - Regen	310/710R18
KUMHO	ECSTA V700 V70A	225/50R16
KUMHO	ECSTA V700 V70A	205/45R16
KUMHO	ECSTA V700 V70A	225/45R16
KUMHO	ECSTA V700 V70A	245/45R16
KUMHO	ECSTA V700 V70A	265/45R16
KUMHO	ECSTA V700 V70A	215/45R17
KUMHO	ECSTA V700 V70A	225/45R17
KUMHO	ECSTA V700 V70A	205/40R17
KUMHO	ECSTA V700 V70A	215/40R17
KUMHO	ECSTA V700 V70A	235/40R17
KUMHO	ECSTA V700 V70A	245/40R17
KUMHO	ECSTA V700 V70A	255/40R17
KUMHO	ECSTA V700 V70A	225/40R18
KUMHO	ECSTA V700 V70A	245/35R18
KUMHO	ECSTA V700 V70A	265/35R18

KUMHO	ECSTA V700 V70A	305/30R18
-------	-----------------	-----------

<b>Hersteller:</b>	Michelin Reifenwerke AG & Co. KGaA Michelinstrasse 4, D-76185 Karlsruhe
<b>Ansprechpartner:</b>	Martin Maffert, Alexander Eckert
<b>Tel.Nr.:</b>	0721 530 - 1295 / 0172 7462003
<b>E-Mail:</b>	<a href="mailto:martin.maffert@michelin.com">martin.maffert@michelin.com</a> ; <a href="mailto:a.eckert@reifen-knuettel.de">a.eckert@reifen-knuettel.de</a>

Hersteller	Modellbezeichnung	Dimension
Michelin	S9L / P2L	18/58-15
Michelin	S8B / S9C / P2G / P2H / S8M	19/57-15
Michelin	S9L / P2L	23/61-16
Michelin	S8L / S9D / P2G / P2H / S8M / S9M	20/61-17
Michelin	S8L / S8C / S8M / S8M+ / P2E / P2H	24/61-17
Michelin	S9F / S9M / P2G / P2L	24/64-18
Michelin	S8A / S8L / S8M / S9L / S9M / P2L	25/64-18
Michelin	Porsche Cup N2	25/64-18
Michelin	S9G / S8L / S9L / P2G / P2L	27/65-18
Michelin	S8M / S9M / S5A / S5C	27/65-18
Michelin	Porsche Cup N2 #	27/65-18
Michelin	Porsche Cup N2 / P2G / P2L	27/68-18
Michelin	P2G	29/65-18
Michelin	S7L / S8L / S9L / P2L	30/65-18
Michelin	S7M / S8M / S9M	30/65-18
Michelin	S7L / S8L / S9L / P2G / P2L	30/68-18
Michelin	S7M / S8M / S9M	30/68-18
Michelin	Porsche Cup N2	30/68-18
Michelin	S8M / S9M	33/68-18
Michelin	S7L / S8L / S9L	31/71-18
Michelin	S7M / S8M / S9M	31/71-18
Michelin	Porsche Cup N2 / P2G / P2L	31/71-18
Michelin	S8A / S8L / S8M / P2G / P2E / P2H	24/65-19
Michelin	S9A / P2G / P2H	28/69-19
Michelin	S8L / S9L / S9M	31/71-19
Michelin	P2G / P2L	31/71-19



**Hersteller:** Nankang Tire Netherlands Motorsport Department  
 Parkstraat 83 2514JG Den Haag The Netherlands

**Ansprechpartner:** Shane Yang

**Tel.Nr.:** +31639715099

**E-Mail:** [shane@nankang.eu](mailto:shane@nankang.eu)

Hersteller	Modellbezeichnung	Dimension
NANKANG	SL-1	240/610R17
NANKANG	SL-1	210/610R17
NANKANG	SL-1	240/640R18
NANKANG	SL-1	240/650R18
NANKANG	SL-1	260/660R18
NANKANG	SL-1	280/660R18
NANKANG	SL-1	300/660R18
NANKANG	SL-1	190/570R15
NANKANG	SL-1	200/580R15
NANKANG	AR-1	245/40ZR17
NANKANG	AR-1	265/35ZR18
NANKANG	NS-2R	235/40ZR17
NANKANG	NS-2R	285/35ZR18
NANKANG	RT-1	240/610R17
NANKANG	RT-1	240/640R18
NANKANG	RT-1	240/650R18
NANKANG	RT-1	260/660R18
NANKANG	RT-1	280/660R18
NANKANG	RT-1	300/660R18
NANKANG	SL-1	190/570R15
NANKANG	SL-1	200/580R15
NANKANG	CR-1	285/30ZR18
NANKANG	CR-1	315/30ZR18

**Hersteller:** NEXEN TIRE Corporation  
 The NEXEN univerCITY 177, Magokjungang-ro, Gangseo-gu, Seoul, Korea 07594

**Ansprechpartner:** Ralf Flachbarth

**Tel.Nr.:** +49 6195 6713 411; +491712970437

**E-Mail:** [r.flachbarth@nexentire.com](mailto:r.flachbarth@nexentire.com)

Hersteller	Modellbezeichnung	Dimension
------------	-------------------	-----------

NEXEN TIRE	N'FERA SS01	240/640R18
NEXEN TIRE	N'FERA SS01	280/680R18
NEXEN TIRE	N'FERA SW01	240/640R18
NEXEN TIRE	N'FERA SW01	280/680R18
NEXEN TIRE	N'FERA SS01	250/650R18
NEXEN TIRE	N'FERA SW01	250/650R18

**Hersteller:** Pirelli Deutschland GmbH  
Höchster Straße 48 - 60, 64747 Breuberg

**Ansprechpartner:** Michael Blaufuss

**Tel.Nr.:** +49 (6163) 712 462

**E-Mail:** michael.blaufuss@pirelli.com

Hersteller	Modellbezeichnung	Dimension
Pirelli	PZero	190/580-15 DH
Pirelli	PZero	190/580-15 DHH
Pirelli	PZero	190/580-15 DM
Pirelli	PZero	200/600-16 DH
Pirelli	PZero	200/600-16 WS
Pirelli	PZero	200/600-17 DM
Pirelli	PZero	200/600-17 DS
Pirelli	PZero	200/600-17 WS
Pirelli	PZero	225/580-15 DM
Pirelli	PZero	225/580-15 WS
Pirelli	PZero	225/625-17 DH
Pirelli	PZero	225/625-17 DHH
Pirelli	PZero	225/625-17 DM
Pirelli	PZero	225/625-17 WH
Pirelli	PZero	225/635-19 MC
Pirelli	PZero	235/645-18 DH
Pirelli	PZero	235/645-18 WH
Pirelli	PZero	235/645-19 DH
Pirelli	PZero	235/645-19 DH
Pirelli	PZero	235/645-19 WS
Pirelli	PZero	235/645-19 WS
Pirelli	PZero	245/620-17 DH
Pirelli	PZero	245/620-17 DHH
Pirelli	PZero	245/620-17 DM

Pirelli	PZero	245/620-17 DS
Pirelli	PZero	245/620-17 WH
Pirelli	PZero	245/620-17 WS
Pirelli	Pzero	245/645-18 DH
Pirelli	Pzero	245/645-18 DHB
Pirelli	Pzero	245/645-18 DM
Pirelli	Pzero	245/645-18 DMB
Pirelli	Pzero	245/645-18 DSB
Pirelli	Pzero	245/645-18 WH
Pirelli	PZero	255/650-19 DH
Pirelli	PZero	255/650-19 WH
Pirelli	Pzero	265/645-18 DH
Pirelli	Pzero	265/645-18 DHB
Pirelli	Pzero	265/645-18 DM
Pirelli	Pzero	265/645-18 DMB
Pirelli	Pzero	265/645-18 DSB
Pirelli	Pzero	265/645-18 WH
Pirelli	Pzero	265/645-18 WS
Pirelli	Pzero	265/645-18 WSS
Pirelli	Pzero	275/645-18 DH
Pirelli	Pzero	275/645-18 WH
Pirelli	PZero	275/675-19 DH
Pirelli	PZero	275/675-19 DHA
Pirelli	PZero	275/675-19 WH
Pirelli	PZero	275/675-19 WS
Pirelli	PZero	275/695-15 DH
Pirelli	PZero	275/695-15 WH
Pirelli	PZero	285/605-16 DM
Pirelli	PZero	285/605-16 WS
Pirelli	Pzero	285/645-18 DH
Pirelli	Pzero	285/645-18 DHD2
Pirelli	Pzero	285/645-18 DHHB
Pirelli	Pzero	285/645-18 DM
Pirelli	Pzero	285/645-18 DMD2
Pirelli	Pzero	285/645-18 WH
Pirelli	PZero	285/650-19 MC
Pirelli	PZero	285/650-19 WH

Pirelli	PZero	295/680-19 DH
Pirelli	PZero	295/680-19 WS
Pirelli	Pzero	305/645-18 DH
Pirelli	Pzero	305/645-18 DHA
Pirelli	Pzero	305/645-18 DHB
Pirelli	Pzero	305/645-18 DM
Pirelli	Pzero	305/645-18 DMB
Pirelli	Pzero	305/645-18 WH
Pirelli	Pzero	305/645-18 WS
Pirelli	Pzero	305/660-18 DH
Pirelli	Pzero	305/660-18 DHB
Pirelli	Pzero	305/660-18 DM
Pirelli	Pzero	305/660-18 DMB
Pirelli	Pzero	305/660-18 DSB
Pirelli	Pzero	305/660-18 WH
Pirelli	Pzero	305/660-18 WS
Pirelli	Pzero	305/660-18 WSS
Pirelli	Pzero	305/680-18 DH
Pirelli	Pzero	305/680-18 DHA
Pirelli	Pzero	305/680-18 DHB
Pirelli	Pzero	305/680-18 DM
Pirelli	Pzero	305/680-18 DMB
Pirelli	Pzero	305/680-18 DSB
Pirelli	Pzero	305/680-18 WH
Pirelli	Pzero	305/680-18 WSS
Pirelli	PZero	305/690-19 DH
Pirelli	PZero	305/690-19 WH
Pirelli	PZero	310/650-16 DH
Pirelli	PZero	310/650-16 WH
Pirelli	PZero	315/620-17 DH
Pirelli	Pzero	315/680-18 DH
Pirelli	Pzero	315/680-18 DHB
Pirelli	Pzero	315/680-18 DM
Pirelli	Pzero	315/680-18 DMB
Pirelli	Pzero	315/680-18 WH
Pirelli	Pzero	315/680-18 WS
Pirelli	PZero	315/705-19 DH

Pirelli	PZero	315/705-19 DHA
Pirelli	PZero	315/705-19 WH
Pirelli	PZero	315/705-19 WS
Pirelli	PZero	325/660-18 DHD2
Pirelli	PZero	325/660-18 DMD2
Pirelli	PZero	325/660-18 WHA
Pirelli	PZero	325/680-18 DHE
Pirelli	PZero	325/680-18 DMD2
Pirelli	PZero	325/705-18 DHE
Pirelli	PZero	325/705-18 DMA
Pirelli	PZero	325/705-18 DMD2
Pirelli	PZero	325/705-18 DSA
Pirelli	PZero	325/705-18 WH
Pirelli	PZero	325/705-18 WSS
Pirelli	PZero	325/705-19 DHD2
Pirelli	PZero	325/705-19 DMD2
Pirelli	PZero	325/705-19 MC
Pirelli	PZero	325/705-19 WH
Pirelli	PZero	340/715-16 DH
Pirelli	PZero	340/715-16 WH
Pirelli	PZero	375/695-17 DH

**Hersteller:** Toyo Tire Cooperation

2-2-13, Fujinoki, Itami, Hyogo 664-0847, JAPAN

**Ansprechpartner:** Tatsuya Kato / Assistant Manager, Replacement Tire Development Dept.

**Tel.Nr.:** 0081-727-75-9001

**E-Mail:** [tkatou@toyotires.co.jp](mailto:tkatou@toyotires.co.jp)

Hersteller	Modellbezeichnung	Dimension
TOYO	PROXES (DRY)	335/710R18
TOYO	PROXES (DRY)	325/710R18
TOYO	PROXES (DRY)	305/680R18
TOYO	PROXES (DRY)	305/650R18
TOYO	PROXES (DRY)	295/680R18
TOYO	PROXES (DRY)	295/650R18
TOYO	PROXES (DRY)	285/680R18
TOYO	PROXES (DRY)	285/650R18
TOYO	PROXES (DRY)	245/640R18
TOYO	PROXES (DRY)	235/620R17
TOYO	PROXES (WET)	335/710R18
TOYO	PROXES (WET)	325/710R18
TOYO	PROXES (WET)	305/680R18
TOYO	PROXES (WET)	305/650R18
TOYO	PROXES (WET)	295/680R18
TOYO	PROXES (WET)	295/650R18
TOYO	PROXES (WET)	285/680R18
TOYO	PROXES (WET)	285/650R18
TOYO	PROXES (WET)	245/640R18
TOYO	PROXES (WET)	235/620R17

**Hersteller:** Yokohama Europe GmbH  
Monschauerstr. 12, D40459 Düsseldorf

**Ansprechpartner:** Beppo Bürger

**Tel.Nr.:** +49 171 6785014

**E-Mail:** b.buerger@yokohama-online.com

Hersteller	Modellbezeichnung	Dimension
YOKOHAMA legend:	A=Slick	40=SF, 60=MD, 80=HD
	W= Wet	40=SF, 60=MD, 80=HD
	A005= Slick	SS, SF, MD, HD
	A006= Wet	SS, SF, MD, HD
YOKOHAMA TOURING V	*N1869	210/580R16 A005 Wet SF
YOKOHAMA TOURING S	N1608	180/530R14 A005 HD
YOKOHAMA TOURING S	N2050	210/650R18 A005 SF
YOKOHAMA TOURING S	N2052	210/650R18 A005 HD
YOKOHAMA TOURING S	N2076	230/650R18 A005 SF
YOKOHAMA TOURING V	N2082	230/650R18 A006 HD
YOKOHAMA TOURING S	N2090	230/650R18 A005 HD
YOKOHAMA TOURING V	N2148	190/580R15 A006 HD
YOKOHAMA TOURING S	N2202	210/610R17 A005 HD
YOKOHAMA TOURING S	N2203	210/610R17 A005 SF
YOKOHAMA TOURING S	N2221	230/650R18 A005 SSF
YOKOHAMA GT Slick	N2270	280/680R18 A005 A40
YOKOHAMA TOURING V	N2315	210/650R18 A006 HD
YOKOHAMA GT Wet	N2320	250/650R18 A006 W60
YOKOHAMA TOURING V	N2337	230/610R17 A006 HD
YOKOHAMA GT Wet	N2356	320/650R18 A006 W60
YOKOHAMA TOURING S	N2358	190/580R15 A005 HD
YOKOHAMA GT Slick	N2372 Suitable for GT4	250/650R18 A005 A80
YOKOHAMA TOURING S	N2379	190/560R15 A005 MD
YOKOHAMA TOURING S	N2380	180/530R14 A005 MD
YOKOHAMA TOURING S	N2381	230/630R16 A005 MD
YOKOHAMA TOURING V	N2382	230/630R16 A006 HD
YOKOHAMA TOURING S	N2383	230/625R17 A005 MD
YOKOHAMA TOURING S	N2384	230/625R17 A005 HD
YOKOHAMA TOURING S	N2387	230/630R16 A005 HD
YOKOHAMA TOURING S	N2391	230/650R18 A005 MD
YOKOHAMA TOURING S	N2392	260/640R17 A005 MD

YOKOHAMA TOURING S	N2393	260/640R17 A005 HD
YOKOHAMA TOURING S	N2394	240/640R17 A005 MD
YOKOHAMA TOURING S	N2395	240/640R17 A005 HD
YOKOHAMA TOURING V	N2396	210/625R17 A006 HD
YOKOHAMA TOURING V	N2397	260/640R17 A006 HD
YOKOHAMA TOURING V	N2398	240/640R17 A006 HD
YOKOHAMA TOURING S	N2401 Suitable for GT4	250/660R18 A005 MD
YOKOHAMA TOURING V	N2403	250/660R18 A006 HD
YOKOHAMA TOURING S	N2454	190/580R16 A005 MD
YOKOHAMA TOURING S	N2455	190/580R16 A005 HD
YOKOHAMA TOURING V	N2456	190/580R16 A006 HD
YOKOHAMA TOURING V	N2457	190/560R15 A006 HD
YOKOHAMA TOURING S	N2465	210/580R16 A005 HD
YOKOHAMA TOURING S	N2466	190/560R15 A005 HD
YOKOHAMA GT Slick	N2472 Suitable for GT4	250/650R18 A005 A40
YOKOHAMA GT Wet	N2502	240/640R18 A006 W60
YOKOHAMA GT Slick	N2506	240/640R18 A005 A60
YOKOHAMA TOURING S	N2508	210/625R17 A005 MD
YOKOHAMA TOURING S	N2509	210/625R17 A005 HD
YOKOHAMA TOURING S	N2570	260/670R18 A005 HD
YOKOHAMA GT Slick	N2595	280/680R18 A005 A80
YOKOHAMA GT Slick	N2596 Suitable for GT4	250/650R18 A005 A60
YOKOHAMA TOURING V	N2610	210/610R17 A006 HD
YOKOHAMA GT Slick	N2613 Suitable for GTR	290/710R20 A005 A80
YOKOHAMA TOURING S	N2614	210/610R17 A005 MD
YOKOHAMA TOURING S	N2655	190/580R15 A005 MD
YOKOHAMA TOURING S	N2698	260/670R18 A005 MD
YOKOHAMA GT Wet	N2704	250/640R18 A006 W60
YOKOHAMA GT Slick	N2708	240/640R18 A005 A80
YOKOHAMA GT Slick	N2736 Special spec. for Porsche	330/710R18 A005 A80
YOKOHAMA TOURING S	N2756	240/610R17 A005 HD
YOKOHAMA TOURING V	N2757	240/610R17 A006 HD
YOKOHAMA GT Slick	N2782 Suitable Porsche & GT4	280/650R18 A005 A60
YOKOHAMA GT Wet	N2784	280/680R18 A006 W60
YOKOHAMA GT Wet	N2790 Suitable for Lamborghini	300/650R18 A006 W60
YOKOHAMA GT Wet	N2791	300/680R18 A006 W60
YOKOHAMA GT Wet	N2793 Suitable for Ferrari	330/710R19 A006 W60



YOKOHAMA TOURING S	N2794	230/610R17 A005 MD
YOKOHAMA TOURING S	N2795	230/610R17 A005 HD
YOKOHAMA GT Wet	N2807	280/710R18 A006 W60
YOKOHAMA GT Wet	N2815	280/650R18 A006 W40
YOKOHAMA GT Wet	N2826	280/680R18 A006 W40
YOKOHAMA GT Slick	N2844 Suitable for Lamborghini & GT4	300/650R18 A005 A40
YOKOHAMA GT Slick	N2845 Suitable for Lamborghini & GT4	300/650R18 A005 A60
YOKOHAMA GT Slick	N2846 Suitable for Lamborghini & GT4	300/650R18 A005 A80
YOKOHAMA GT Wet	N2848	300/650R18 A006 W40
YOKOHAMA GT Slick	N2855 Suitable for GT4	300/680R18 A005 A40
YOKOHAMA GT Slick	N2856 Suitable for GT4	300/680R18 A005 A60
YOKOHAMA GT Slick	N2857	300/680R18 A005 A80
YOKOHAMA GT Wet	N2859	300/680R18 A006 W40
YOKOHAMA GT Wet	N2876	320/710R18 A006 W40
YOKOHAMA GT Slick	N2888 Suitable for Lamborghini & GT4	330/710R18 A005 A40
YOKOHAMA GT Slick	N2889 Suitable for Lamborghini & GT4	330/710R18 A005 A60
YOKOHAMA GT Slick	N2890 Suitable for Lamborghini & GT4	330/710R18 A005 A80
YOKOHAMA GT Slick	N2894 Suitable for Ferrari	330/710R19 A005 A60
YOKOHAMA GT Wet	N2907 Suitable for Ferrari	240/660R19 A006 W60
YOKOHAMA GT Wet	N2908	300/690R19 A006 W60
YOKOHAMA TOURING S	N2911	210/625R17 A005 SF
YOKOHAMA TOURING S	N2912	230/610R17 A005 SF
YOKOHAMA TOURING S	N2913 Suitable for GT4	250/660R18 A005 SF
YOKOHAMA TOURING S	N2915 Suitable for GT4	250/660R18 A005 HD
YOKOHAMA TOURING S	N2916 Suitable for GT4	280/650R18 A005 SF
YOKOHAMA GT Wet	N2923	280/650R18 A006 W60
YOKOHAMA GT Wet	N2924 Suitable for Lamborghini	320/710R18 A006 W60
YOKOHAMA TOURING V	N2925	230/610R17 A006 MD
YOKOHAMA GT Wet	N2937 Suitable for Ferrari	260/660R19 A006 W60
YOKOHAMA GT Wet	N2939 Suitable for Ferrari	310/690R19 A006 W60
YOKOHAMA TOURING S	N2948	280/650R18 A005 MD
YOKOHAMA TOURING S	N3003	240/610R17 A005 SF
YOKOHAMA GT Slick	N3004 Suitable for Ferrari	260/660R19 A005 A60
YOKOHAMA TOURING V	N3041	190/580R15 A006 SF
YOKOHAMA TOURING V	N3042	190/560R15 A006 SF
YOKOHAMA TOURING V	N3043	230/610R17 A006 SF
YOKOHAMA TOURING V	N3044	210/625R17 A006 SF

YOKOHAMA TOURING V	N3045	210/610R17 A006 SF
YOKOHAMA TOURING V	N3046	240/640R17 A006 SF
YOKOHAMA TOURING V	N3047	250/660R18 A006 SF
YOKOHAMA GT Slick	N3063 Suitable for GT4	280/650R18 A005 A80
YOKOHAMA GT Slick	N3066 Suitable for GT4	280/650R18 A005 A60
YOKOHAMA GT Slick	N3113 Suitable for GT4	280/680R18 A005 A60
YOKOHAMA GT Slick	N3114	280/710R18 A005 A60
YOKOHAMA GT Slick	N3129	310/690R19 A005 A60
YOKOHAMA GT Slick	N3130 Suitable for Ferrari	240/660R19 A005 A60
YOKOHAMA GT Slick	N3139	320/650R18 A005 A60
YOKOHAMA GT Slick	N3140	250/640R18 A005 A60
YOKOHAMA GT Slick	N3141 Suitable for GT4	280/650R18 A005 A40
YOKOHAMA GT Slick	N3142	280/710R18 A005 A80
YOKOHAMA GT Slick	N3143	300/690R19 A005 A60
YOKOHAMA GT Wet	N3144	250/650R18 A006 W40
YOKOHAMA GT Slick	N3182	260/660R19 A005 A40
YOKOHAMA GT Slick	N3183	310/690R19 A005 A40